

DEPENDENT RESURVEY OF THE MOUNT DIABLO BASE LINE,
THROUGH A PORTION OF RANGE 39 EAST,
MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	S. 89°50'30" W., beginning new measurement.
5.50	Dry wash, 40 lks. wide, drains SSE.
5.821	<p>Point for the new standard 1/4 sec. cor. of sec. 31, T. 1 N., R. 39 E., established 200 chs. W. in departure from the standard cor. of secs. 33 and 34, T. 1 N., R. 39 E.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">SC T1N R39E <u>1/4 S31</u></p> <p style="text-align: center;">2008</p>
37.481	<p>An angle point on the S. bdy. of sec. 31, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of T. 1 N., R. 38 1/2 E., executed concurrently under this same group, and a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p>
<hr/> <p>SURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 1 N., R. 39 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
	<p>From the point for the cor. of secs. 29, 30, 31 and 32, established N. 0°03'20" W. from the new standard cor. of secs. 31 and 32, on the S. bdy. of the Tp., hereinbefore described and N. 89°58'00" E., from the cor. of secs. 28, 30, 31 and 33, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd. as described in the field notes of the survey of the east boundary of T. 1 N., R. 38 1/2 E., executed concurrently under this same group, to an intersection.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T1N R39E S30 S29 <u> </u> S31 S32</p> <p style="text-align: center;">2008</p>
	<p>S. 89°58'00" W., bet. secs. 30 and 31.</p> <p>Over low rolling hills.</p>
40.000	<p>Point for the 1/4 sec. cor. of secs. 30 and 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, over a plastic-encased magnet, and in a collar of stone, with brass cap mkd.</p>