

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 5 S., R. 70 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	<p>The point for the W 1/16 sec. cor. on the N. bdy. of sec. 1 is on the First Standard Parallel South and at midpoint in departure bet. the closing cor. of secs. 1 and 2 and the N. 1/4 sec. cor. of sec. 1.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">W 1/16 S 1 2008</p> <p>From this corner, the standard cor. of secs. 35 and 36, T. 4 S., R. 70 E., bears S. 89°53'50" E., 17.240 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">SUBDIVISION OF SECTION 1, T. 5 S., R. 70 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>From the 1/4 sec. cor. of secs. 1 and 12. N. 0°25'50" W., on the N-S center line of sec. 1. Over gently rolling terrain, through scattered sagebrush.</p> <p>1.70 Enter pinon pine and juniper.</p> <p>2.90 Draw, drains W.</p> <p>5.50 Spur, slopes W.; descend.</p> <p>20.60 Wash, 5 lks. wide, course E.; ascend.</p> <p>33.40 Ridge, bears NW. and SE.; descend.</p> <p>39.40 Draw, drains E.</p> <p>39.676 Point for the center 1/4 sec. cor. of sec. 1, at intersection with the E-W center line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p> <p style="text-align: center;">T5S R70E C 1/4 S 1 2008</p> <p>40.30 Spur, slopes E.</p> <p>49.35 Old Beaver Dam Road, 18 lks. wide, bears ENE. and WSW.</p> <p>49.45 Northerly edge of Old Beaver Dam Road, bears ENE. and WSW.</p>
--------	--