

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY,
T. 13 N., R. 28 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>Restoring a Portion of the Survey Executed by H.E. Franks and J.S. Mullen, U.S. Deputy Surveyors, in 1904, a Portion of the Resurvey Executed by C.S. Swanholm, Cadastral Engineer and R.F. Guinn, C. Pettengill and H. Westfall, Transitmen, P.W., in 1936 and a Portion of the Resurvey Executed by R.A. Pratt, Cadastral Surveyor, in 1989</p> <hr/> <p>From the cor. of Tps. 13 and 14 N., Rs. 28 and 29 E., monumented with a granite stone, 15x15 ins., firmly set, projecting 16 ins. above the ground, mkd. with 6 notches on the N., E., S. and W. edges, with an iron post, 3 ins. diam., firmly set E. of cor., projecting 6 ins. above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the west boundary, T. 13 N., R. 29 E., executed under Group No. 181, and a mound of stone, 3 ft. base, 2 1/2 ft. high, S. of cor.</p> <p>At the corner point</p> <p>Chisel an X on the top of the mkd. stone and invert the iron post alongside.</p> <p>from which</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 26 ins. in the ground, over a plastic-encased magnet, for a reference monument, bears S. 45°26' E., 22.7 lks. dist., with brass cap mkd. RM T13N R29E S6 15.0 FT TO COR 2010 and an arrow pointing to the cor.</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, over a plastic-encased magnet, for a reference monument, bears S. 44°37' W., 22.9 lks. dist., with brass cap mkd. RM T13N R28E S1 15.1 FT TO COR 2010 and an arrow pointing to the cor.</p> <p>N. 89°49'30" W., bet. secs. 1 and 36.</p> <p>Across rolling land, covered with shadescale, cheat and bunch grass.</p> <p>34.00 U.S. Highway No. 95, asphalt surfaced, 50 lks. wide, bears N. 7° E. and S. 7° W.</p> <p>40.088 The 1/4 sec. cor. of secs. 1 and 36, monumented with a redwood post, 4 ins. square, 36 ins. long, loosely set, projecting 24 ins. above the ground, with illegible scribe mks. visible.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.</p>
---------------	---