TOWNSHIP 7 SOUTH, RANGE 61 EAST, MOUNT DIABLO MERIDIAN, NEVADA

CHAINS The cor. of secs. 4, 5, 8 and 9, is as follows: Latitude: 37°21'42.564" N. Longitude: 115°09'19.579" W. The 1/4 sec. cor. of secs. 5 and 6, is as follows: Latitude: 37°22'10.377" N. Longitude: 115°10'24.997" W. The July 17, 2014 mean magnetic declination was determined to be 12°13′ E., as obtained from the National Oceanic and Atmospheric Administration's National Geophysical Data Center declination calculator. DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 7 S., R. 61 E., MOUNT DIABLO MERIDIAN, NEVADA Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor E.B. Monroe in 1870 Beginning at the cor. of secs. 4, 5, 8 and 9, monumented with a stone, 19x10x5 ins., mkd. with an "x", at the top of a stone cairn, 4 1/2 ft. high, 2 1/2 ft. diam., in a wire basket, as described in the field notes of the dependent resurvey of a portion of the subdivisional lines, T. 7 S., R. 61 E., executed under Group No. 851. from which the 2007 reference monuments A stainless steel post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the ground, in a collar of stone, bears S. 45°23' E., 9.2 lks. dist., with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the subdivisional lines, T. 7 S., R. 61 E., executed under Group No. 851. A stainless steel post, 2 1/2 ins. diam., firmly set, projecting 1 in. above a mound of stone, 3 ft. base, 5 ins. high, bears S. 45°18' W., 9.2 lks. dist., with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the subdivisional lines, T. 7 S., R. 61 E., executed under Group No. 851. Cor. is located at the intersection of fences, 4 strand barbed wire, extending N. and W. N. 0°15'10" E., bet. secs. 4 and 5. Over gently rolling land, through creosote and scattered cacti. 4.60 From this point, a rebar, 5/8 in. diam., firmly set, projecting 3 ins. above the ground and in a collar of stone, with aluminum cap mkd. L.SMITH CONTROL POINT WATER PLS 12751, bears EAST, 0.186 chs. dist. Not utilized in the course of this survey. 11.80 Dry wash, 53 lks. wide, 3 ft. deep, drains SW. 19.70 Dry wash, 38 lks. wide, 3 ft. deep, drains SW.