

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY  
T. 13 N., R. 26 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
	<p style="text-align: center;">Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyors R.A. Chase and A. Lash Jr. in 1868, and a Portion of the Retracement Executed by U. S. Transitman H.W. Reppert in 1913-1915</p> <hr/>
	<p>From the cor. of Tps. 12 and 13 N., Rs. 26 and 27 E., hereinbefore described.</p>
	<p>N. 0°18'00" E., on the E. bdy. of sec. 36.</p>
7.07	<p>Top of hill, descend.</p>
21.55	<p>Dirt road, 12 lks. wide, bears N. 80° E. and S. 80° W.</p>
35.059	<p>The W 1/4 sec. cor. of sec. 31, T. 13 N., R. 27 E., hereinafter described.</p>
40.093	<p>Point for the 1/4 sec. cor. of secs. 31 and 36, determined by the irregular boundary adjustment method, based on the official record of the 1915 retracement of the E. bdy. of T. 13 N., R. 26 E., the original monument, a granite stone, 10x7x6 ins. (Record: trap stone, 10x10x6 ins.), was found disturbed, lying loose on the edge of a dirt road, mkd. 1/4 on a face. This corner will now refer to sec. 36 only.</p>
	<p>Set a rebar, 5/8 in. diam., 18 ins. long, firmly set 2 ins. below the surface of a dirt road, 12 lks. wide, bears S. 30° E. and N. 30° W.</p>
	<p>from which</p>
	<p>A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 26 ins. in the ground, over a plastic- encased magnet, for a reference monument, bears S. 68°55'00" W., 111.0 lks. dist., with brass cap mkd. RM T13N R26E 1/4 S36 73.3 FT TO COR 2015, and an arrow pointing to the corner. Bury the mkd. stone alongside the stainless steel post.</p>
	<p>A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, over a plastic- encased magnet for a reference monument, bears N. 24°27'10" W., 109.4 lks. dist., with brass cap mkd. RM T13N R26E 1/4 S36 72.2 FT TO COR 2015, and an arrow pointing to the corner.</p> <hr/>
	<p>N. 0°19'00" E., beginning new measurement.</p>
1.75	<p>Trail road, 8 lks. wide, bears S. 30° E. and N. 30° W.</p>
6.787	<p>The witness point at the intersection of a line bet. Angle Point No. 2, in sec. 35, T. 13 N., R. 26 E., of a metes-and-bounds survey executed concurrently under this same Group and Angle Point No. 1, in sec. 31, of a metes-and-bounds survey of this survey with the E. bdy. of T. 13 N., R. 26 E., hereinafter described.</p>