

DEPENDENT RESURVEY OF A PORTION OF THE SOUTH BOUNDARY,
T. 13 N., R. 26 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS</p>	<p>From this same cor., the cor. of secs. 5, 6, 31 and 32, monumented with a Nevada Department of Transportation monument, an aluminum cap in a monument well, set in asphalt in E. Pursel Lane, with aluminum cap mkd. 5 6 31 32, as shown on Corner Record, Document No. 187749, recorded by Donald B. Goodman, Nevada Professional Land Surveyor, No. 6222, in 1995, in Lyon County, Nevada, bears S. 89°43'30" W., 80.239 chs. dist. This position has been adopted and recorded by various professional land surveyors and is accepted as the best available evidence of the position of the original corner.</p> <p>From this same cor., a rebar, no record found, 5/8 in. diam., firmly set, projecting 2 ins. above the ground, with plastic cap mkd. R. BYREM PLS 18297, bears N. 0°15'20" W., 0.910 chs. dist., not utilized during the course of this survey.</p> <hr/> <p>DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 13 N., R. 26 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor R.A. Chase in 1869 and a Portion of the Dependent Resurvey and Retracement Executed by U.S. Transitman H.W. Reppert in 1913-1915.</p> <hr/> <p>From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., hereinbefore described.</p> <p>N. 0°13'40" W., bet. secs. 35 and 36.</p> <p>Over uneven ground and westerly draining draws.</p> <p>1.20 Trail road, 15 lks. wide, bears E. and W.</p> <p>2.748 The witness point at the intersection of the westerly right-of-way line of the Sylmar-Oregon H.V.D.C. Transmission Line, hereinafter described.</p> <p>8.10 The Sylmar-Oregon H.V.D.C. Transmission Line, bears S. 17° E. and N. 17° W.</p> <p>8.90 Trail road, 20 lks. wide, curves N. and bears SW.</p> <p>10.10 Trail road, 20 lks. wide, curves S. and bears NW.</p> <p>40.391 The 1/4 sec. cor. of secs. 35 and 36, monumented with a trap stone, 14x8x4 ins., loosely set in a mound of stone, 3 ft. diam., 1 ft. high, mkd. 1/4 on W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, over a plastic-encased magnet, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
---------------	---