

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 13 N., R. 26 E., MOUNT DIABLO MERIDIAN, NEVADA

| | |
|---|---|
| CHAINS | S. 89°51'40" W., beginning new measurement. |
| 10.025 | Point for the E-W 1/64 sec. cor. of secs. 28 and 33. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, over a plastic-encased magnet, with brass cap mkd. S28 E-W 1/64 S33 2015 |
| 31.90 | Trail road, 15 lks. wide, bears NE. and SW. |
| 40.100 | The cor. of secs. 28, 29, 32 and 33. |
| <hr/> <p>DEPENDENT RESURVEY OF A PORTION OF MINERAL SURVEY NO. 4892, T. 13 N., R. 26 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/> <p>Reestablishment of a Portion of the Survey Executed by U.S. Mineral Surveyor Bill Harris in 1969</p> <hr/> <p><u>Lyon No. 1 lode</u></p> <p>From Cor. No. 1, Mineral Survey No. 4892, Lyon No. 1 lode, identical with Cor. No. 1, Mineral Survey No. 4892, Lyon No. 18 lode, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins. above the ground, with brass cap mkd. as described in the field notes of Mineral Survey No. 4892.</p> <p>N. 0°06'00" W., on line 1-2, Mineral Survey No. 4892, Lyon No. 1 lode.</p> | |
| 8.610 | Witness corner for Cor. No. 2, Mineral Survey No. 4892, Lyon No. 1 lode, monumented with an iron post, 1 in. diam., firmly set, bent towards the SE., with brass cap mkd. as described in the field notes of Mineral Survey No. 4892. The bend in the iron post is accepted as the best available evidence of the position of the original corner. |
| 0.242 | N. 0°06'00" W., beginning new measurement. Intersect the line bet. secs. 4 and 33, on the S. bdy. of the TP., at a point from which the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., hereinbefore described, bears N. 89°44'20" E., 22.449 chs. dist. |