

DEPENDENT RESURVEY OF A PORTION OF THE EAST BOUNDARY,
T. 34 N., R. 54 E., MOUNT DIABLO MERIDIAN, NEVADA

CHAINS	
33.70	Barbed wire fence, bears N. 54° E. and S. 54° W.
35.01	Eastbound lane, Interstate Highway No. 80, bears N. 54° E. and S. 54° W.
37.14	Westbound lane, Interstate Highway No. 80, bears N. 54° E. and S. 54° W.
39.203	The W 1/4 sec. cor. of sec. 30, T. 34 N., R. 55 E., identical with the 1/4 sec. cor. of sec. 25, T. 34 N., R. 54 1/2 E., monumented with an iron post, firmly set, projecting 6 ins. above the ground, with brass cap mkd. as described in the field notes of the dependent resurvey of a portion of the W. bdy., T. 34 N., R. 55 E., executed under Group No. 609.

N. 50°55'30" W., on the connecting line bet. sec. 25, T. 34 N., R. 54 E. and sec. 25, T. 34 N., R. 54 1/2 E.	
1.431	Barbed wire fence and the northwesterly right-of-way line of Interstate Highway No. 80, bears N. 54° E. and S. 54° W.
1.70	Improved gravel road, 20 lks. wide, bears N. 54° E. and S. 54° W.
2.214	The witness point at the intersection of a metes-and-bounds survey, hereinafter described.
6.996	The E 1/4 sec. cor. of sec. 25, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above a collar of stone, with brass cap mkd. as described in the dependent resurvey of a portion of the E. bdy., T. 34 N., R. 54 E., executed under Group No. 609, with a stainless steel fence post set alongside, and the original monument, a granite stone, 8x6x4 ins., clearly mkd. 1/4 on a face, lying loose in the collar of stone.

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES, T. 34 N., R. 54 E., MOUNT DIABLO MERIDIAN, NEVADA	

Reestablishment of a Portion of the Survey Executed by U.S. Deputy Surveyor C.C. Tracey in 1869, and a Portion of the Dependent Resurvey Executed by Cadastral Surveyor R.A. Pratt in 1984	

From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.	
N. 87°16'20" W., bet. secs. 25 and 36.	
21.210	Point for the E 1/16 sec. cor. of secs. 25 and 36.
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, over a plastic-encased magnet, with brass cap mkd.	