

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES,
T. 20 S., R. 65 E., MOUNT DIABLO MERIDIAN, NEVADA

<p>CHAINS 39.884</p>	<p>The 1/4 sec. cor. of secs. 10 and 11, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above the ground, with brass cap mkd. as described in the field notes of the 1938 independent resurvey of the subdivisional lines, T. 20 S., R. 65 E., executed under Group No. 237.</p> <p>Build a supporting mound of stone, 5 ft. base, to top.</p> <hr/>
	<p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>N. 89°55'20" W., bet. secs. 10 and 15.</p>
<p>6.351</p>	<p>Intersect line 1-2, Mineral Survey No. 4502, Indipendant Fraction lode, at a point from which Cor. No. 1, Indipendant Fraction lode, hereinafter described, bears S. 42°28'00" W., 8.861 chs. dist.</p>
<p>7.30</p>	<p>Bottom of canyon, drains S.</p>
<p>13.737</p>	<p>Intersect line 4-1, Mineral Survey No. 4539, Valley View lode, at a point from which Cor. No. 1, Valley View lode, hereinafter described, bears S. 2°02'10" E., 4.676 chs. dist.</p>
<p>20.380</p>	<p>Intersect line 3-4, Mineral Survey No. 4539, Valley View lode, at a point from which Cor. No. 4, Valley View lode, hereinafter described, bears N. 52°44'00" E., 8.127 chs. dist.</p>
<p>39.919</p>	<p>The 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 1 in. diam., firmly set, in a mound of stone, 3 ft. diam., 2 ft. high, with brass cap mkd. as described in the field notes of the 1938 independent resurvey of the subdivisional lines, T. 20 S., R. 65 E., executed under Group No. 237.</p> <hr/>
<p>DEPENDENT RESURVEY OF PORTIONS OF MINERAL SURVEY NO. 4502, T. 20 S., R. 65 E., MOUNT DIABLO MERIDIAN, NEVADA</p> <hr/>	
<p>Reestablishment of Portions of the Survey Executed by U.S Mineral Surveyor, F.W. Rodolf, in 1921</p> <hr/>	
<p>Indipendant #1 lode</p>	
<p>From Cor. No. 2, Mineral Survey No. 4502, Indipendant #1 lode, determined by the method of parallel end lines; there is no remaining evidence of the original corner.</p>	
<p>At the corner point</p>	
<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, over a plastic-encased magnet, in a collar of stone, with brass cap mkd.</p>	